

ESPOSITORE PORTAMESSAGGI RETROILLUMINATO A LED / LED BACKLIGHT MESSAGE DISPLAY STAND

WS-LED

L'espositore WS-LED è concepito per un cambio rapido del messaggio, è l'evoluzione luminosa del classico WS-Display. È costituito da una tasca piatta in Plexiglas® antiurto trasparente e retroilluminato a led, fissato a parete con borchie distanziali.



Grazie alla modalità costruttiva della tasca piatta in Plexiglas® trasparente antiurto, l'inserimento e l'eventuale sostituzione del messaggio pubblicitario collocato all'interno è estremamente facile e veloce.

Thanks to the flat pocket constructive mode in transparent shockproof Plexiglas®, insertion and eventual replacement of the advertising placed inside is extremely quick and easy.



The WS-LED display stand has been designed for any quick message exchange and it is the luminous solution of the classic WS-Display. It is made of a LED backlight flat pocket in transparent shockproof Plexiglas® and it is fixed to the wall with spacers.



ESPOSITORE PORTAMESSAGGI RETROILLUMINATO A LED / LED BACKLIGHT MESSAGE DISPLAY STAND

WS-LED

Resa luminosa elevata ed uniforme

Gli espositori retroilluminati Geprom garantiscono un'ottima resa luminosa con un appropriato indice di resa cromatica. Ciò determina un riscontro positivo da parte del personale a contatto con queste fonti luminose e una riduzione dell'affaticamento visivo, proprio perchè l'uso delle lampade Led elimina il fastidioso "sfarfallio" della luce.

Gli espositori luminosi Geprom sono estremamente sottili, solo 14 mm, e offrono una grande versatilità di utilizzo grazie alla modalità con cui vengono costruiti. Le tasche portamessaggi in Plexiglas® antiurto trasparente possono essere infatti sostituite o disposte in diverse posizioni a seconda delle esigenze del singolo utilizzatore.

L'illuminazione dei pannelli Geprom avviene tramite LED, acronimo di Light Emitting Diode (diodo ad emissione luminosa), più tecnicamente chip LED, opportunamente dimensionati per garantire un'illuminazione uniforme del pannello luminoso.

La garanzia sui prodotti, un'attesa di vita maggiore di 50.000 ore di funzionamento a piena efficienza della sorgente luminosa, l'ottima dissipazione del calore prodotto, l'assenza di interventi di manutenzione, la costruzione del prodotto con materiali ecocompatibili e il design innovativo sono i punti di forza che differenziano gli espositori luminosi Geprom.

La linea di espositori luminosi Geprom è dotata di marchio CE.

I LED utilizzati da Geprom hanno un'attesa di vita pari a 6 anni di funzionamento continuo rispetto alle 6000-7000 ore dei tubi fluorescenti. La manutenzione si limiterà alla pulizia dello schermo che va eseguita con prodotti per il Plexiglas®.

High and uniform luminous yield

Geprom backlighted display stands guarantee a good illumination with an appropriate index of chromatic yield. This is a positive aspect for workers who come in contact with this luminous source because it includes a reduction of visual strain, because Led lamps cancel the annoying light "Flickering".

Geprom illuminated display stands are extremely thin, only 14 mm, light and versatile thanks to their design and construction. Message pockets in transparent shockproof Plexiglas® can be easily changed or placed in several different positions depending on the client's needs.

Geprom panels' illumination takes place through LED, acronym for Light Emitting Diode, plus technical chip LED, proportionate in size to guarantee a uniform illumination.

A guarantee for all display stands, a lifetime of 50.000 full functioning hours of light, a good dissipation of heat produced, an absence of maintenance, a production realised by environmentally friendly materials and an innovative design are the main points that distinguish Geprom luminous display stands.

Geprom display stand line is equipped of CE mark.

LEDs used by Geprom have a 6 years functioning lifetime compared to the 6000-7000 hours of the fluorescent tubes. The maintenance is only the cleaning of the screen that must be done with normal products for Plexiglas®.

PUNTI DI FORZA E CARATTERISTICHE:

- ✓ **estremamente sottili: solo 14 mm**
- ✓ garanzia sui prodotti: **50.000 ore** di funzionamento a piena efficienza
- ✓ resa luminosa pari a 110-120 lm/w
- ✓ **illuminazione uniforme** del pannello luminoso e quindi del messaggio esposto
- ✓ versatilità di utilizzo e materiali di alta qualità
- ✓ **vasta gamma di prodotti**
- ✓ **perfettamente intercambiabile e modulabile con le tasche tradizionali**
- ✓ progettazione e produzione di prodotti in Plexiglas® in qualsiasi formato
- ✓ ampia personalizzazione del prodotto
- ✓ **riduzione dei consumi energetici**
- ✓ **ottime performance utilizzando carta-film backlight**

STRONG POINTS AND FEATURES:


- ✓ **extremely thin: only 14 mm**
- ✓ product guarantee: **50.000 effectiveness functioning hours**
- ✓ illumination yield equal to 110-120 lm/w
- ✓ **uniform illumination** of luminous panel and therefore of displayed message
- ✓ versatile use and high quality materials
- ✓ **wide products range**
- ✓ **perfectly interchangeable and capable of being modulated with traditional pockets**
- ✓ design and production of Plexiglas® products in whatever size
- ✓ wide product personalisation
- ✓ **reduction of energy consumption**
- ✓ **best performance if used backlight film**



ESPOSITORE PORTAMESSAGGI RETROILLUMINATO A LED / LED BACKLIGHT MESSAGE DISPLAY STAND


WS-LED

Tasca piatta portamessaggio in Plexiglas® antiurto trasparente retroilluminata LED.
LED backlight flat message pocket in transparent shockproof Plexiglas®.




WS-LED A4v

ISO A4 verticale (21x30 cm)




WS-LED A4o

ISO A4 orizzontale (30x21 cm)



WS-LED A3v

ISO A3 verticale (30x42 cm)



WS-LED A3o









ISO A3 orizzontale (42x30 cm)



ESPOSITORE PORTAMESSAGGI RETROILLUMINATO A LED / LED BACKLIGHT MESSAGE DISPLAY STAND

WS-LED











Tasca piatta portamessaggio in Plexiglas® antiurto trasparente retroilluminata LED.
LED backlight flat message pocket in transparent shockproof Plexiglas®.

	WS-LED 50x15	50x15 cm
	WS-LED 2-A5o	nr. 2 ISO A5 orizzontale (21x15 cm)
	WS-LED 50x21	50x21 cm
	WS-LED 2-A4v	nr. 2 ISO A4 verticale (21x30 cm)
	WS-LED 50x30	50x30 cm
	WS-LED 50x50	50x50 cm
	WS-LED 50x70	50x70 cm
	WS-LED 60x60	60x60 cm

ESPOSITORE PORTAMESSAGGI RETROILLUMINATO A LED / LED BACKLIGHT MESSAGE DISPLAY STAND

WS-LED


Tasca piatta portamessaggio in Plexiglas® antiurto trasparente retroilluminata LED.
LED backlight flat message pocket in transparent shockproof Plexiglas®.

	WS-LED 70x15	70x15 cm
	WS-LED 3-A5o	nr. 3 ISO A5 orizzontale (21x15 cm)
	WS-LED 70x21	70x21 cm
	WS-LED 2-A4o	nr. 2 ISO A4 orizzontale (30x21 cm)
	WS-LED 70x30	70x30 cm
	WS-LED 3-A4v	nr. 3 ISO A4 verticale (21x30 cm)
	WS-LED 2-A3v	nr. 2 ISO A3 verticale (30x42 cm)
	WS-LED 70x50	70x50 cm
	WS-LED 70x70	70x70 cm
	WS-LED 70x100	70x100 cm


ESPOSITORE PORTAMESSAGGI RETROILLUMINATO A LED / LED BACKLIGHT MESSAGE DISPLAY STAND

WS-LED


Tasca piatta portamessaggio in Plexiglas® antiurto trasparente retroilluminata LED.
LED backlight flat message pocket in transparent shockproof Plexiglas®.




WS-LED 100x70 100x70 cm



WS-LED 100x140 100x140 cm



WS-LED 140x70 140x70 cm



WS-LED140x100 140x100 cm